
SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

- Datasheet Number: SP232 Version 2.0.0
- Product Name: Calcium Builder
- Chemical Name: Calcium chloride
- CAS Number: 10043-52-4
- EC No.: 233-140-8
- Index No.: 017-013-00-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

- Use of the substance/mixture: Pool / spa treatment
- Use advised against: No information available

1.3 Details of the supplier of the safety data sheet

- Name of Supplier: Total Pool Chemicals Ltd
- Address of Supplier: Unit 1-5 , Pool Bank Business Park
High Street, Tarvin
Chester
UK
CH3 8JH
- Telephone: +44 (0)1829 740290
- Email: sales@totalpool.co.uk

1.4 Emergency telephone number

- +44 (0)1829 740290 (Office Hours)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

- Classification (REGULATION (EC) No 1272/2008) [CLP/GHS]: Eye Irrit. 2, H319
- Additional information: For full text of Hazard- and EU Hazard-statements: see section 16

2.2 Label elements



- Signal Word: Warning
- Hazard statements
H319 - Causes serious eye irritation.
- Precautionary statements
P102 - Keep out of reach of children.
P264 - Wash contaminated skin thoroughly after handling.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P501 - Dispose of contents/container to an authorised waste collection point

Revision: 3 September 2020

SECTION 2: Hazards identification (....)

- Supplemental Hazard information (EU)
None

2.3 Other hazards

- Not a PBT according to REACH Annex XIII
 - Not a vPvB according to REACH Annex XIII
-

SECTION 3: Composition/information on ingredients

3.1 Substances

- Calcium chloride
CAS Number: 10043-52-4
EC Number: 233-140-8
Index No.: 017-013-00-2
Classification (REGULATION (EC) No 1272/2008) [CLP/GHS]: Eye Irrit. 2, H319

3.2 Mixtures

- Not applicable
-

SECTION 4: First aid measures

4.1 Description of first aid measures

- Contact with eyes
If substance has got into eyes, immediately wash out with plenty of water for several minutes
Irrigate eyes thoroughly whilst lifting eyelids
Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.
- Contact with skin
Wash affected area with plenty of soap and water
Take off contaminated clothing and wash it before reuse.
If skin irritation occurs: Get medical advice/attention.
- Ingestion
Rinse mouth with water (do not swallow)
Give plenty of water to drink
Do NOT induce vomiting.
When in doubt or symptoms persist, seek medical attention
- Inhalation
If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
IF exposed or concerned: Get medical advice/attention.

4.2 Most important symptoms and effects, both acute and delayed

- Contact with eyes
Causes severe irritation
Causes redness and swelling
 - Contact with skin
May cause redness and irritation
 - Ingestion
May cause gastro-intestinal irritation
May cause nausea/vomiting
May cause stomach pain
-

SECTION 4: First aid measures (....)

- Inhalation
May cause respiratory irritation.

4.3 Indication of any immediate medical attention and special treatment needed

- Treat symptomatically
-

SECTION 5: Firefighting measures**5.1 Extinguishing media**

- Suitable extinguishing media: Not flammable. In case of fire use extinguishing media appropriate to surrounding conditions
- Unsuitable extinguishing media: No information available

5.2 Special hazards arising from the substance or mixture

- Gives off irritating or toxic fumes (or gases) in a fire.
- Decomposition products may include calcium oxides
- Decomposition products may include hydrogen chloride

5.3 Advice for firefighters

- Collect contaminated fire extinguishing water separately. This MUST not be discharged into drains. Prevent fire extinguishing water from contaminating surface or ground water.
 - Special protective equipment: Wear self-contained breathing apparatus (SCBA). Wear full protective clothing including chemical protection suit.
-

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

- Rescuers should take suitable precautions to avoid becoming casualties themselves
- Only trained and authorised personnel should carry out emergency response
- Personal precautions for non-emergency personnel: Avoid formation of dust; Do not breathe dust; Wear protective clothing as per section 8; Wash thoroughly after handling.
- Personal precautions for emergency responders: Wear self-contained breathing apparatus (SCBA); Wear suitable protective clothing, eye/face protection and gloves; Natural rubber are recommended

6.2 Environmental precautions

- Avoid release to the environment.
- Do not allow to enter public sewers and watercourses
- If contamination of drainage systems or water courses is unavoidable, immediately inform appropriate authorities

6.3 Methods and material for containment and cleaning up

- Stop leak if safe to do so.
- Small spills
Wipe up spillage with damp absorbent cloth or towel
- Large spills
Avoid formation of dust
Sweep or shovel-up spillage and remove to a safe place
Place in sealable container
Seal containers and label them
Remove contaminated material to safe location for subsequent disposal
Seek expert advice for removal and disposal of all contaminated materials and wastes
Flush spill area with copious amounts of water

6.4 Reference to other sections

SECTION 6: Accidental release measures (....)

- See section(s): 7, 8 & 13
-

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Use only in well ventilated areas
- Avoid contact with skin and eyes
- Prevent formation of dust
- Do not breathe dust
- Wear protective clothing as per section 8
- Do not eat, drink or smoke when using this product.
- Contaminated clothing should be laundered before reuse
- Use good personal hygiene practices
- Wash thoroughly after handling.
- Ensure eyewash stations and safety showers are nearby

7.2 Conditions for safe storage, including any incompatibilities

- Keep in a cool, dry, well ventilated place
- Keep container tightly closed.
- Protect from moisture.
- Keep away from food, drink and animal feedingstuffs
- Storage containers should not be made from aluminium

7.3 Specific end use(s)

- Pool / spa treatment
-

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

- If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.
Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace exposure - Measurement of exposure by inhalation to chemical agents - Strategy for testing compliance with occupational exposure limit values). European Standard EN 14042 (Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents). European Standard EN 482 (Workplace exposure. General requirements for the performance of procedures for the measurement of chemical agents). Reference to national guidance documents for methods for the determination of hazardous substances will also be required.
- The UK HSE (EH40) recommends the following limits for dusts: 10 mg/m³ (8hr TWA) total inhalable dust; 4 mg/m³ (8hr TWA) total respirable dust
- DNEL (inhalational) 5 mg/m³ Industry, Long Term, Local Effects
- DNEL (inhalational) 10 mg/m³ Industry, Acute/Short Term, Local Effects
- DNEL (inhalational) 2.5 mg/m³ Consumer, Long Term, Local Effects
- DNEL (inhalational) 5 mg/m³ Consumer, Acute/Short5 Term, Local Effects

8.2 Exposure controls

- Selection and use of personal protective equipment should be based on a risk assessment of exposure potential
 - Engineering controls
 - Ensure adequate ventilation
 - Engineering controls should be provided which maintain airborne concentrations below the relevant guidelines
 - Use local exhaust ventilation and/or enclosures.
-

Revision: 3 September 2020

SECTION 8: Exposure controls/personal protection (....)

- Respiratory protection
In case of insufficient ventilation, wear suitable respiratory equipment
Use type FFP2 (EN 143) dust masks
- Eye/face protection
Wear goggles giving complete eye protection approved to standard EN 166.
- Skin protection
Wear protective gloves. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and standard EN 374.
The selection of a suitable glove depends on work conditions and whether the product is present on its own or in combination with other substances. Breakthrough time is dependent on the characteristics of the brand of glove used and the supplier should be consulted.
Neoprene or PVC are recommended
Wear suitable protective clothing
Contaminated clothing should be laundered before reuse
- Hygiene measures
Do not eat, drink or smoke when using this product.
Use good personal hygiene practices
Wash thoroughly after handling.
Ensure eyewash stations and safety showers are nearby
- Environmental exposure controls
Do not empty into drains
Do not allow to penetrate the ground/soil.



SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Appearance: Solid, white crystalline powder
- Odour: None
- Odour threshold: No information available
- pH: 8 - 10 at 1 % concentration
- Melting point/freezing point: 775 - 782 °C @ 101.3 kPa
- Initial boiling point and boiling range: 1 935 °C @ 101.3 kPa
- Flashpoint: Not applicable
- Evaporation Rate: No information available
- Flammability (solid,gas): Not flammable
- Upper/lower flammability or explosive limits: Not applicable
- Vapour Pressure: 0.01 mbar @ 20 °C
- Vapour Density: Not applicable
- Relative Density: 2.15 @ 15 - 25 °C
- Solubility(ies): Solubility in water: 745 - 1 590 g/L @ 20 - 100 °C and pH 7
- Partition Coefficient (n-Octanol/Water): No information available
- Autoignition Temperature: No information available
- Decomposition temperature: No information available
- Viscosity: Not applicable
- Explosive Properties: Non-explosive
- Oxidising properties: Not oxidising

9.2 Other information

Revision: 3 September 2020

SECTION 9: Physical and chemical properties (....)

- No information available
-

SECTION 10: Stability and reactivity

10.1 Reactivity

- Hygroscopic
- Generates heat on addition to water (exothermic)

10.2 Chemical stability

- Stable under normal conditions

10.3 Possibility of hazardous reactions

- Reacts violently with water

10.4 Conditions to avoid

- Avoid contact with moisture
- Keep away from heat and sources of ignition

10.5 Incompatible materials

- Incompatible with oxidizing substances
- Incompatible with reducing agents
- May be corrosive to metals

10.6 Hazardous decomposition products

- Decomposition products may include calcium oxides
 - Decomposition products may include hydrogen chloride
-

SECTION 11: Toxicological information

11.1 Information on toxicological effects

- Acute Toxicity
Based on available data, the classification criteria are not met
LD50 (oral, rat): 2 120 - 2 361 mg/kg
LD50 (dermal, rabbit): 5 000 mg/kg
 - Skin corrosion/irritation
Based on available data, the classification criteria are not met
 - Serious eye damage/irritation
H319: Causes serious eye irritation.
 - Respiratory or skin sensitisation
No adverse effect observed (not sensitising)
 - Germ cell mutagenicity
No evidence of mutagenic effects
 - Carcinogenicity
No evidence of carcinogenic effects
 - Reproductive toxicity
No evidence of reproductive effects
 - Specific target organ toxicity (STOT) - single exposure
Based on available data, the classification criteria are not met
 - Specific target organ toxicity (STOT) - repeated exposure
Based on available data, the classification criteria are not met
-

Revision: 3 September 2020

SECTION 11: Toxicological information (....)

- Aspiration hazard
Based on available data, the classification criteria are not met
- Contact with eyes
Causes severe irritation
Causes redness and swelling
- Contact with skin
May cause redness and irritation
- Ingestion
May cause gastro-intestinal irritation
May cause nausea/vomiting
May cause stomach pain
- Inhalation
May cause respiratory irritation

SECTION 12: Ecological information

12.1 Toxicity

- Based on available data, the classification criteria are not met
- LC50 (fish) 4.63 g/l (4 days)
- LC50 (aquatic invertebrates) 2.4 - 2.77 g/l (48 hr)
- EC50 (aquatic algae) 2.9 - 27 g/l (72 hr)

12.2 Persistence and degradability

- Not applicable; inorganic

12.3 Bioaccumulative potential

- Bioaccumulation is not expected

12.4 Mobility in soil

- Large volumes may penetrate soil and contaminate groundwater

12.5 Results of PBT and vPvB assessment

- Not a PBT according to REACH Annex XIII
- Not a vPvB according to REACH Annex XIII

12.6 Other adverse effects

- No information available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- Disposal should be in accordance with local, state or national legislation
- Do not discharge into drains or the environment, dispose to an authorised waste collection point
- Do not reuse empty containers without commercial cleaning or reconditioning

13.2 Classification

- The waste must be identified according to the List of Wastes (2000/532/EC)
- Hazardous Property Code(s): HP 4 Irritant

SECTION 14: Transport information

Not classified as hazardous for transport

SECTION 14: Transport information (....)

14.1 UN number

- UN No.: Not applicable

14.2 UN proper shipping name

- Proper Shipping Name: Not applicable

14.3 Transport hazard class(es)

- Hazard Class: Not applicable

14.4 Packing group

- Packing Group: Not applicable

14.5 Environmental hazards

- Not Classified

14.6 Special precautions for user

- No information available

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

- Not applicable

14.8 Road/Rail (ADR/RID)

- Proper Shipping Name: Not applicable
- ADR UN No.: Not applicable
- ADR Hazard Class: Not applicable
- ADR Packing Group: Not applicable
- Tunnel Code: Not applicable

14.9 Sea (IMDG)

- Proper Shipping Name: Not applicable
- IMDG UN No.: Not applicable
- IMDG Hazard Class: Not applicable
- IMDG Pack Group.: Not applicable

14.10 Air (ICAO/IATA)

- Proper Shipping Name: Not applicable
- ICAO UN No.: Not applicable
- ICAO Hazard Class: Not applicable
- ICAO Packing Group: Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- This safety data sheet is provided in compliance with REACH Regulation (EC) No 1907/2006 as amended by Regulation (EU) 2015/830
- Regulation (EC) No. 1272/2008 on the classification, labelling and packaging of substances and mixtures (CLP Regulation) applies in Europe

15.2 Chemical safety assessment

- A REACH chemical safety assessment has been carried out

SECTION 16: Other information

The statements made herein are based on our best present experience and are intended to describe product



Revision: 3 September 2020

SECTION 16: Other information (....)

safety requirements. They should not therefore be considered as a warranty of specific properties.

Sources of data: Information from published literature and supplier safety data sheets

Revision No. 2.0.0. Revised September 2020.

Changes made: Revisions to all sections to conform to Regulation (EU) 2015/830.

Text not given with phrase codes where they are used elsewhere in this safety data sheet:

- H319: Causes serious eye irritation.

Acronyms

- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstracts Service
- DNEL: Derived No-Effect Level
- EC: European Community
- EC50: Effective Concentration, 50%
- GHS: Globally Harmonised System
- LC50: Lethal Concentration, 50%
- LD50: Lethal Dose, 50%
- NOAEC: No observed adverse effect concentration
- NOAEL: No observed adverse effect level
- OEL: Occupational Exposure Limit
- PBT: Persistent, Bioaccumulative and Toxic
- PNEC: Predicted No-Effect Concentration
- REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
- SCL: Specific Concentration Limit
- vPvB: very Persistent and very Bioaccumulative
- WEL: Workplace Exposure Limit

--- end of safety datasheet ---
