

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

- Datasheet Number: SP302 Version 2.0.0
- Product Name: Polyquat Algaecide
- Contains Methanamine, N-methyl-, polymer with (chloromethyl)oxirane

1.2 Relevant identified uses of the substance or mixture and uses advised against

- Use of the substance/mixture: Pool / spa treatment; Biocide
- Use advised against: No information available

1.3 Details of the supplier of the safety data sheet

- Name of Supplier: Total Pool Chemicals Ltd
- Address of Supplier: Unit 1-5 , Pool Bank Business Park
High Street, Tarvin
Chester
UK
CH3 8JH
- Telephone: +44 (0)1829 740290
- Email: sales@totalpool.co.uk

1.4 Emergency telephone number


- +44 (0)1829 740290 (Office Hours)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

- Classification (REGULATION (EC) No 1272/2008) [CLP/GHS]: Acute Tox. 4, H302; Aquatic Acute 1, H400; Aquatic Chronic 1, H410
- Additional information: For full text of Hazard- and EU Hazard-statements: see section 16

2.2 Label elements



- Signal Word: Warning
- Hazard statements
 - H302 - Harmful if swallowed.
 - H410 - Very toxic to aquatic life with long lasting effects.
- Precautionary statements
 - P264 - Wash hands thoroughly after handling.
 - P270 - Do not eat, drink or smoke when using this product.
 - P273 - Avoid release to the environment.
 - P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
 - P391 - Collect spillage.
 - P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.
- Supplemental Hazard information (EU)
 - None

2.3 Other hazards

Revision: 18 September 2020

SECTION 2: Hazards identification (....)

- Not a PBT according to REACH Annex XIII
 - Not a vPvB according to REACH Annex XIII
-

SECTION 3: Composition/information on ingredients

3.1 Substances

- Not applicable

3.2 Mixtures

Chemical Name	Conc.	CAS No.	EC No.	Classification (REGULATION (EC) No 1272/2008) [CLP/GHS]	REACH Registration Number	SCL/ M-Factor/ ATE	WEL/ OEL
Polymeric quaternary ammonium chloride; Methanamine, N-methyl-, polymer with (chloromethyl)oxirane	50 - 70%	25988-97-0	-	Acute Tox. 4, H302; Aquatic Acute 1, H400; Aquatic Chronic 1, H410	-	-	None

SECTION 4: First aid measures

4.1 Description of first aid measures

- Contact with eyes
If substance has got into eyes, immediately wash out with plenty of water for several minutes
Irrigate eyes thoroughly whilst lifting eyelids
Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.
- Contact with skin
Wash affected area with plenty of soap and water
Take off contaminated clothing and wash it before reuse.
If skin irritation occurs: Get medical advice/attention.
- Ingestion
Rinse mouth with water (do not swallow)
Give plenty of water to drink
Get immediate medical advice/attention.
- Inhalation
No hazard expected under normal conditions of use
IF exposed or concerned: Get medical advice/attention.

4.2 Most important symptoms and effects, both acute and delayed

- Contact with eyes
May cause redness and irritation
- Contact with skin
May cause redness and irritation
- Ingestion
The ingestion of significant quantities may cause nausea/vomiting
- Inhalation
No hazard expected under normal conditions of use

4.3 Indication of any immediate medical attention and special treatment needed

- Treat symptomatically
-

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media: Not flammable. In case of fire use extinguishing media appropriate to surrounding conditions
- Unsuitable extinguishing media: No information available

5.2 Special hazards arising from the substance or mixture

- Spillage causes slippery surface
- Gives off irritating or toxic fumes (or gases) in a fire.
- Decomposition products may include hydrogen chloride
- Decomposition products may include nitrogen and carbon oxides

5.3 Advice for firefighters

- Collect contaminated fire extinguishing water separately. This MUST not be discharged into drains. Prevent fire extinguishing water from contaminating surface or ground water.
 - Special protective equipment: Wear self-contained breathing apparatus (SCBA). Wear full protective clothing including chemical protection suit.
-

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- Rescuers should take suitable precautions to avoid becoming casualties themselves
- Only trained and authorised personnel should carry out emergency response
- Personal precautions for non-emergency personnel: Avoid contact with skin and eyes; Do not breathe spray/mists; Wear protective clothing as per section 8; Wash thoroughly after handling.
- Personal precautions for emergency responders: Wear self-contained breathing apparatus (SCBA); Wear suitable protective clothing, eye/face protection and gloves

6.2 Environmental precautions

- Avoid release to the environment.
- Do not allow to enter public sewers and watercourses
- If contamination of drainage systems or water courses is unavoidable, immediately inform appropriate authorities

6.3 Methods and material for containment and cleaning up

- Stop leak if safe to do so.
- Spillage causes slippery surface
- Small spills
 - Wipe up spillage with damp absorbent cloth or towel
- Large spills
 - Contain the spillage using bunding
 - Absorb spillage in inert material and shovel up
 - Place in sealable container
 - Seal containers and label them
 - Remove contaminated material to safe location for subsequent disposal
 - Seek expert advice for removal and disposal of all contaminated materials and wastes
 - Flush spill area with copious amounts of water

6.4 Reference to other sections

- See section(s): 7, 8 & 13
-

SECTION 7: Handling and storage

7.1 Precautions for safe handling

SECTION 7: Handling and storage (....)

- Use only in well ventilated areas
- Avoid contact with skin and eyes
- Avoid formation of spray/mist/aerosols
- Wear protective clothing as per section 8
- Do not eat, drink or smoke when using this product.
- Contaminated clothing should be laundered before reuse
- Use good personal hygiene practices
- Wash thoroughly after handling.
- Ensure eyewash stations and safety showers are nearby

7.2 Conditions for safe storage, including any incompatibilities

- Keep in a cool, dry, well ventilated place
- Protect from heat
- Protect from light
- Keep container tightly closed.
- Keep away from food, drink and animal feedingstuffs
- Incompatible with strong acids
- Incompatible with strong oxidizing substances

7.3 Specific end use(s)

- Pool / spa treatment

SECTION 8: Exposure controls/personal protection**8.1 Control parameters**

- If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.
Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace exposure - Measurement of exposure by inhalation to chemical agents - Strategy for testing compliance with occupational exposure limit values). European Standard EN 14042 (Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents). European Standard EN 482 (Workplace exposure. General requirements for the performance of procedures for the measurement of chemical agents). Reference to national guidance documents for methods for the determination of hazardous substances will also be required.
- Polymeric quaternary ammonium chloride;
Methanamine, N-methyl-, polymer with (chloromethyl)oxirane
No data available

8.2 Exposure controls

- Selection and use of personal protective equipment should be based on a risk assessment of exposure potential
- Engineering controls
Ensure adequate ventilation
Engineering controls are not required for normal handling
- Respiratory protection
No respiratory protection is needed during normal handling
- Eye/face protection
Wear safety glasses approved to standard EN 166.
- Skin protection
Wear protective gloves. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and standard EN 374.
The selection of a suitable glove depends on work conditions and whether the product is present on its own or in combination with other substances. Breakthrough time is dependent on the characteristics of the brand of glove used and the supplier should be consulted.

Revision: 18 September 2020

SECTION 8: Exposure controls/personal protection (....)

- Hygiene measures
 - Do not eat, drink or smoke when using this product.
 - Use good personal hygiene practices
 - Wash thoroughly after handling.
- Environmental exposure controls
 - Do not empty into drains
 - Do not allow to penetrate the ground/soil.



SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Appearance: Blue solution
- Odour: No information available
- Odour threshold: No information available
- pH: No information available
- Melting point/freezing point: No information available
- Initial boiling point and boiling range: No information available
- Flashpoint: No information available
- Evaporation Rate: No information available
- Flammability (solid,gas): Not flammable
- Upper/lower flammability or explosive limits: Not applicable
- Vapour Pressure: No information available
- Vapour Density: Not applicable
- Relative Density: 1.162
- Solubility(ies): Soluble in water
- Partition Coefficient (n-Octanol/Water): No information available
- Autoignition Temperature: No information available
- Decomposition temperature: No information available
- Viscosity: Not applicable
- Explosive Properties: Non-explosive
- Oxidising properties: Not oxidising

9.2 Other information

- No information available

SECTION 10: Stability and reactivity

10.1 Reactivity

- Stable under normal conditions

10.2 Chemical stability

- Stable under normal conditions

10.3 Possibility of hazardous reactions

- No hazardous reactions known if used for its intended purpose

10.4 Conditions to avoid

- Avoid overheating

Revision: 18 September 2020

SECTION 10: Stability and reactivity (....)

10.5 Incompatible materials

- Incompatible with strong oxidizing substances
- Incompatible with strong acids

10.6 Hazardous decomposition products

- Decomposition products may include hydrogen chloride
 - Decomposition products may include nitrogen and carbon oxides
-

SECTION 11: Toxicological information

11.1 Information on toxicological effects

- Acute Toxicity
Harmful if swallowed.
Classification based on calculation and concentration thresholds

Substances

Chemical Name	LD50 (oral, rat)	LC50 (inhalation, rat)	LD50 (dermal,rabbit)
Polymeric quaternary ammonium chloride; Methanamine, N-methyl-, polymer with (chloromethyl)oxirane	No data available	No data available	No data available

- Skin corrosion/irritation
Based on available data, the classification criteria are not met
- Serious eye damage/irritation
Based on available data, the classification criteria are not met
- Respiratory or skin sensitisation
Based on available data, the classification criteria are not met
- Germ cell mutagenicity
No evidence of mutagenic effects
- Carcinogenicity
No evidence of carcinogenic effects
- Reproductive toxicity
No evidence of reproductive effects
- Specific target organ toxicity (STOT) - single exposure
Based on available data, the classification criteria are not met
- Specific target organ toxicity (STOT) - repeated exposure
Based on available data, the classification criteria are not met
- Aspiration hazard
Based on available data, the classification criteria are not met
- Contact with eyes
May cause redness and irritation
- Contact with skin
May cause redness and irritation
- Ingestion
The ingestion of significant quantities may cause nausea/vomiting
- Inhalation
No hazard expected under normal conditions of use

SECTION 12: Ecological information

12.1 Toxicity

- Very toxic to aquatic life with long lasting effects.
- Classification based on calculation and concentration thresholds
- Polymeric quaternary ammonium chloride;
Methanamine, N-methyl-, polymer with (chloromethyl)oxirane
LC50 (Oncorhynchus mykiss) 0.13 mg/l (96 hr)
EC50 (Daphnia magna): 0.13 mg/l (48 hr)
ErC50 (algae) 0.22 mg/l (72 hr)

12.2 Persistence and degradability

- Not readily biodegradable

12.3 Bioaccumulative potential

- Potential bioaccumulation

12.4 Mobility in soil

- Absorbs on soil

12.5 Results of PBT and vPvB assessment

- Not a PBT according to REACH Annex XIII
- Not a vPvB according to REACH Annex XIII

12.6 Other adverse effects

- No information available
-

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- Disposal should be in accordance with local, state or national legislation
- Do not discharge into drains or the environment, dispose to an authorised waste collection point
- Do not reuse empty containers without commercial cleaning or reconditioning

13.2 Classification

- The waste must be identified according to the List of Wastes (2000/532/EC)
 - Hazardous Property Code(s): HP 6 Acute Toxicity; HP 14 Ecotoxic
-

SECTION 14: Transport information

UN 3077 and UN 3082, when carried in single or combination packagings containing a net quantity per single or inner packaging of 5L/kg or less, are not subject to the provisions of ADR, RID, IMDG or IATA, provided the package meets the general packing quality provisions.



14.1 UN number

- UN No.: 3082

14.2 UN proper shipping name

- Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(METHANAMINE, N-METHYL-, POLYMER WITH 2-(CHLOROMETHYL)
OXIRANE)
-

SECTION 14: Transport information (....)

14.3 Transport hazard class(es)

- Hazard Class: 9

14.4 Packing group

- Packing Group: III

14.5 Environmental hazards

- Marine pollutant

14.6 Special precautions for user

- No information available

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

- Not applicable

14.8 Road/Rail (ADR/RID)

- Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (METHANAMINE, N-METHYL-, POLYMER WITH 2-(CHLOROMETHYL) OXIRANE)
- ADR UN No.: 3082
- ADR Hazard Class: 9
- ADR Packing Group: III
- Tunnel Code: Not applicable

14.9 Sea (IMDG)

- Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (METHANAMINE, N-METHYL-, POLYMER WITH 2-(CHLOROMETHYL) OXIRANE)
- IMDG UN No.: 3082
- IMDG Hazard Class: 9
- IMDG Pack Group.: III

14.10 Air (ICAO/IATA)

- Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (METHANAMINE, N-METHYL-, POLYMER WITH 2-(CHLOROMETHYL) OXIRANE)
- ICAO UN No.: 3082
- ICAO Hazard Class: 9
- ICAO Packing Group: III

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- This safety data sheet is provided in compliance with REACH Regulation (EC) No 1907/2006 as amended by Regulation (EU) 2015/830
- Regulation (EC) No. 1272/2008 on the classification, labelling and packaging of substances and mixtures (CLP Regulation) applies in Europe
- This product is covered by the EU Biocides Regulation 528/2012 (EU BPR)
- This product is covered by EU Directive 2012/18/EU (the Seveso III Directive)
- UN 3077 and UN 3082, when carried in single or combination packagings containing a net quantity per single or inner packaging of 5L/kg or less, are not subject to the provisions of ADR, RID, IMDG or IATA, provided the package meets the general packing quality provisions.

Revision: 18 September 2020

SECTION 15: Regulatory information (....)

- CAS 25988-97-0 is listed in Annex III of REACH as # Suspected hazardous to the aquatic environment: DEMETRA Daphnia Magna toxicity model in VEGA (Q)SAR platform predicts that the chemical has a 48h EC50 of 29.44 mg/L (good reliability) # Suspected skin irritant: The Danish QSAR database contains information indicating that the substance is predicted as skin irritant # Suspected skin sensitiser: CAESAR skin sensitisation model in VEGA (Q)SAR platform predicts that the chemical is Sensitizer (moderate reliability) # Suspected toxic for reproduction: CAESAR developmental toxicity model in VEGA (Q)SAR platform predicts that the chemical is Toxicant (moderate reliability)

15.2 Chemical safety assessment

- No information available

SECTION 16: Other information

The statements made herein are based on our best present experience and are intended to describe product safety requirements. They should not therefore be considered as a warranty of specific properties.

Sources of data: Information from published literature and supplier safety data sheets

Revision No. 2.0.0. Revised September 2020.

Changes made: Revisions to all sections to conform to Regulation (EU) 2015/830.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

- Acute Tox. 4, H302: Classification based on calculation and concentration thresholds
- Aquatic Acute 1, H400: Classification based on calculation and concentration thresholds
- Aquatic Chronic 1, H410: Classification based on calculation and concentration thresholds

Text not given with phrase codes where they are used elsewhere in this safety data sheet:

- H302: Harmful if swallowed
- H400: Very toxic to aquatic life
- H410: Very toxic to aquatic life with long lasting effects

Acronyms

- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstracts Service
- DNEL: Derived No-Effect Level
- EC: European Community
- EC50: Effective Concentration, 50%
- GHS: Globally Harmonised System
- LC50: Lethal Concentration, 50%
- LD50: Lethal Dose, 50%
- NOAEC: No observed adverse effect concentration
- NOAEL: No observed adverse effect level
- OEL: Occupational Exposure Limit
- PBT: Persistent, Bioaccumulative and Toxic
- PNEC: Predicted No-Effect Concentration
- REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
- SCL: Specific Concentration Limit
- vPvB: very Persistent and very Bioaccumulative
- WEL: Workplace Exposure Limit

--- end of safety datasheet ---
